



COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

White



Grey



Sand



Sky Blue



Greige



Anthracite



COLORI E FORMATI


Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

9,5 mm.



20MM

60x120 - 23 ^{5/8} "x47 ^{1/4} "	60x120 - 23 ^{5/8} "x47 ^{1/4} "	60x120 - 23 ^{5/8} "x47 ^{1/4} "
Naturale R10 Rett.	Tecnica R11 Rett.	Naturale R11 Rett.
EKL1 White ● T31	EKLN White ● T31	EL9E White ● T80
EKL2 Sand ● T31	EKLP Sand ● T31	EL9F Sand ● T80
EKL3 Greige ● T31	EKLQ Greige ● T31	EL9G Greige ● T80
EKL4 Grey ● T31	EKLR Grey ● T31	EL9H Grey ● T80
EKU8 Sky Blue ● T31	EKUJ Sky Blue ● T31	EL9K Anthracite ● T80
EKU9 Anthracite ● T31	EKUK Anthracite ● T31	Up to 17 Patterns
Up to 17 Patterns	Up to 17 Patterns	



60x60 - 23 ^{5/8} "x23 ^{5/8} "	60x60 - 23 ^{5/8} "x23 ^{5/8} "
Naturale R10 Rett.	Tecnica R11 Rett.
EKL6 White ● T17	EKL1 White ● T17
EKL7 Sand ● T17	EKLU Sand ● T17
EKL8 Greige ● T17	EKLV Greige ● T17
EKL9 Grey ● T17	EKLW Grey ● T17
EKUC Sky Blue ● T17	EKUM Sky Blue ● T17
EKUD Anthracite ● T17	EKUN Anthracite ● T17
Up to 34 Patterns	Up to 34 Patterns




30x60 - 11 ^{13/16} "x23 ^{5/8} "	30x60 - 11 ^{13/16} "x23 ^{5/8} "
Naturale R10 Rett.	Tecnica R11 Rett.
EKLC White ● T14	EKLY White ● T14
EKLD Sand ● T14	EKLZ Sand ● T14
EKLE Greige ● T14	EKM0 Greige ● T14
EKLF Grey ● T14	EKM1 Grey ● T14
EKUF Sky Blue ● T14	EKUQ Sky Blue ● T14
EKUG Anthracite ● T14	EKUR Anthracite ● T14
Up to 68 Patterns	Up to 68 Patterns

MULTI PRESTIGE BRECCIATO

Naturale R10 Brecciato	Tecnica R11 Brecciato
EL9M White ● T122	EL9V White ● T122
EL9P Sand ● T122	EL9W Sand ● T122
EL9Q Greige ● T122	EL9X Greige ● T122
EL9R Grey ● T122	EL9Y Grey ● T122
EL9S Sky Blue ● T122	EL9Z Sky Blue ● T122
EL9T Anthracite ● T122	ELA0 Anthracite ● T122

1 pz./pcs 30x70 - 11 ^{13/16} "x27 ^{9/16} "	1 pz./pcs 20x70 - 7 ^{7/8} "x27 ^{9/16} "	1 pz./pcs 10x70 - 3 ^{15/16} "x27 ^{9/16} "
1 pz./pcs 30x30 - 11 ^{13/16} "x11 ^{13/16} "	1 pz./pcs 20x30 - 7 ^{7/8} "x11 ^{13/16} "	1 pz./pcs 10x30 - 3 ^{15/16} "x11 ^{13/16} "
1 pz./pcs 30x20 - 11 ^{13/16} "x7 ^{7/8} "	1 pz./pcs 20x20 - 7 ^{7/8} "x7 ^{7/8} "	1 pz./pcs 10x20 - 3 ^{15/16} "x7 ^{7/8} "



Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes.
Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen.
Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.
Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm.
Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

TECNICA

Premium Technical Feature
Nella versione tecnica la superficie è particolarmente antiscivolo, tanto da renderla perfetta per spazi esterni, pubblici e privati.
In the technical version, the surface has outstanding anti-slip properties, making it perfect for public and private outdoor areas.



DECORI

Decors | Decors | Dekore | Decorados | Декоры

9,5 mm. SPLITSTONE



60x120 - 23^{5/8}"x47^{1/4}"
EKW4 White Nat. R10 Rett.
8 Patterns

● T37



60x120 - 23^{5/8}"x47^{1/4}"
EKW7 Grey Nat. R10 Rett.
8 Patterns

● T37



60x120 - 23^{5/8}"x47^{1/4}"
EKW5 Sand Nat. R10 Rett.
8 Patterns

● T37



60x120 - 23^{5/8}"x47^{1/4}"
EKW8 Sky Blue Nat. R10 Rett.
8 Patterns

● T37



60x120 - 23^{5/8}"x47^{1/4}"
EKW6 Greige Nat. R10 Rett.
8 Patterns

● T37



60x120 - 23^{5/8}"x47^{1/4}"
EKW9 Anthracite Nat. R10 Rett.
8 Patterns


● T37




DECORI

Decors | Decors | Dekore | Decorados | Декоры


9,5 mm. MOSAICO 3X3*
Tessere - Chip 2,8x2,8 - 1^{1/8}"x1^{1/8}"




30x30 - 11^{13/16}"x11^{13/16}"
EL1H White Nat. R10 ● A96




30x30 - 11^{13/16}"x11^{13/16}"
EL1J Sand Nat. R10 ● A96




30x30 - 11^{13/16}"x11^{13/16}"
EL1K Greige Nat. R10 ● A96



30x30 - 11^{13/16}"x11^{13/16}"
EL1L Grey Nat. R10 ● A96



30x30 - 11^{13/16}"x11^{13/16}"
EL1M Sky Blue Nat. R10 ● A96




30x30 - 11^{13/16}"x11^{13/16}"
EL1N Anthracite Nat. R10. ● A96


9,5 mm. LISTELLI SFALSATI*




30x60 - 11^{13/16}"x23^{5/8}"
EL1Q White Nat. R10 ● A80



30x60 - 11^{13/16}"x23^{5/8}"
EL1R Sand Nat. R10 ● A80




30x60 - 11^{13/16}"x23^{5/8}"
EL1S Greige Nat. R10 ● A80



30x60 - 11^{13/16}"x23^{5/8}"
EL1T Grey Nat. R10 ● A80



30x60 - 11^{13/16}"x23^{5/8}"
EL1U Sky Blue Nat. R10 ● A80




30x60 - 11^{13/16}"x23^{5/8}"
EL1V Anthracite Nat. R10 ● A80

* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

PEZZI SPECIALI

Trims | Pieces Speciales | Formteile | Piezas Especiales | Специальные Изделия

	Dimensione Size				Fascia di prezzo Price band			
 Battiscopa - Skirting	Naturale 10 Rett. 7x60 - 2 ^{3/4"} x23 ^{5/8"} Pcs. Box 15 - LM x Box 9,00	EL1X	EL1Y	EL1Z	● A11			
 Gradino - Stair Tread	Naturale 10 Rett. 33x120 - 12 ^{15/16"} x47 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	EL2C	EL2D	EL2E	● A82			
	Tecnica R11 Rett. 33x120 - 12 ^{15/16"} x47 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	EL2K	EL2L	EL2M	● A82			
 Gradone Naturale - Step	Naturale 10 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pos. Box 2 - LM x Box 2,40	EL2S	EL2T	EL2U	● A98			
	Tecnica R11 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pos. Box 2 - LM x Box 2,40	EL2Z	EL30	EL31	● A98			
 Angolare Dx Sx Corner Tile Right Left	Naturale 10 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pos. Box 1 - LM x Box 1,20	Dx Right EL36	Sx Left EL3M	Dx Right EL37	Sx Left EL3N	Dx Right EL38	Sx Left EL3P	● A104
	Tecnica R11 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pos. Box 1 - LM x Box 1,20	Dx Right EL3E	Sx Left EL3U	Dx Right EL3F	Sx Left EL3V	Dx Right EL3G	Sx Left EL3W	● A104

	Dimensione Size				Fascia di prezzo Price band			
 Battiscopa - Skirting	Naturale 10 Rett. 7x60 - 2 ^{3/4"} x23 ^{5/8"} Pcs. Box 15 - LM x Box 9,00	EL20	EL21	EL22	● A11			
 Gradino - Stair Tread	Naturale 10 Rett. 33x120 - 12 ^{15/16"} x47 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	EL2F	EL2G	EL2H	● A82			
	Tecnica R11 Rett. 33x120 - 12 ^{15/16"} x47 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	EL2N	EL2P	EL2Q	● A82			
 Gradone Naturale - Step	Naturale 10 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	EL2V	EL2W	EL2X	● A98			
	Tecnica R11 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	EL32	EL33	EL34	● A98			
 Angolare Dx Sx Corner Tile Right Left	Naturale 10 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 1 - LM x Box 1,20	Dx Right EL39	Sx Left EL3Q	Dx Right EL3A	Sx Left EL3R	Dx Right EL3C	Sx Left EL3S	● A104
	Tecnica R11 Rett. 33x120x3,2x3,2 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 1 - LM x Box 1,20	Dx Right EL3H	Sx Left EL3X	Dx Right EL3J	Sx Left EL3Y	Dx Right EL3K	Sx Left EL3Z	● A104

Pezzi speciali 20 mm su richiesta. - 20mm trims available on request. - Pièces spéciales 20mm (sur demande). - Formteile 20mm auf anfrage erhältlich.
Piezas especiales 20mm disponibles bajo pedido. - Специальные изделия 20mm по запросу.

I pezzi speciali inclusi nel campo di applicazione della EN 14411:2016 presentano le stesse caratteristiche di superficie dei fondi di partenza.
Trims within the scope of EN 14411:2016 have the same surface characteristics as the relative plain tiles.

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL
ANSI A137.1 - CLASS P1

CARATTERISTICHE TECNICHE

Technical Features - Caracteristiques Techniques - Technische Eigenschaften
Technische Eigenschaften - Caracteristicas Tecnicas - Технические Характеристики

NORMA

Standard - Norme
Norm - Norma - Норма

VALORI

Value - Valeur
Vorgabe - Valor - Средние



ASSORBIMENTO D'ACQUA

Water absorption - Absorption d'eau - Wasseraufnahme
Absorción de agua - Поглощение воды

UNI EN ISO 10545/3

CONFORME

ASTM C373

COMPLIANT



RESISTENZA ALLA FLESSIONE

Modulus of rupture - Resistance a la flexion - Biegefestigkeit
Resistencia a la flexion - Прочность на изгиб

SPESSORE

UNI EN ISO 10545/4

9,5 mm

20MM

≥ 45 N/mm²

≥ 45 N/mm²

FORZA DI ROTTURA

Breaking strength - Résistance à la rupture - Bruchlast
Resistencia a la rotura - Разрывное усилие

UNI EN ISO 10545/4

ASTM C648

≥ 1300 N

≥ 12000 N

≥ 250 lbf

≥ 2500 lbf



RESISTENZA AL GELO

Frost resistance - Résistance au gel - Frostbeständigkeit
Resistencia a las heladas - Морозостойкость

UNI EN ISO 10545/12

ASTM C1026

CONFORME

UNAFFECTED



RESISTENZA CHIMICA

AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI

Chemical resistance to high and low acid and basic concentrations
Résistance chimique aux hautes et basses concentrations d'acides et de bases
Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen
Resistencia química con concentraciones altas y bajas de ácidos y bases
Химическая стойкость к высоким и низким концентрациям кислот и щелочей

UNI EN ISO 10545/13

ASTM C-650

A - LA - HA

UNAFFECTED



RESISTENZA ALLE MACCHIE

Stain resistance - Résistance aux taches - Fleckenbeständigkeit
Resistencia a las manchas - Стойкость к образованию пятен

UNI EN ISO 10545/14

ASTM C1378

5

Class A



COEFFICIENTE DI ATTRITO

Slip resistance
Coefficient de glissement
Rutschfestigkeit Barfußbereich
Coeficiente de atrito medio
Коэффициент трения

UNI EN ISO 10545/14

ASTM C1378

5

Class A

NATURALE

TECNICA - 20MM

DIN EN 16165 Annex B

DIN EN 16165 Annex A

ANSI A326.3:2017 DCOF

B.C.R.A. D.M. N. 236 14/6/89

AS 4586-2013 Anexo A

BS 7976-2: 2002 BSEN13036-4:2011

Pendulum testers

UNE 41901:2017 EX DB SUA (actual)

R10

B (A+B)

WET ≥ 0,50

> 0,40

P3

> 36 Low Slip

potential - Slider 96

> 36 Low Slip

potential - Both sliders

2

3

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue.- Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultiores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



Formato Size Format Format Tamaño Формат cm	Spessore Thickness Epaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs / M² Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M² / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids / Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M² / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Вес x Подд Kg
60x120 Naturale R10 - Tecnica R11	9,5	1,39	2	1,440	31,68	36	51,84	1140
60x60 Naturale R10 - Tecnica R11	9,5	2,78	3	1,080	23,76	40	43,20	950
30x60 Naturale R10 - Tecnica R11	9,5	5,56	6	1,080	23,76	48	51,84	1140
Multi Prestige Nat. R10 - Tecnica R11	9,5	-	9	0,720	15,84	36	25,92	570
60x120 Dec. Splitstone Naturale R10	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x60 Listelli sfalsati Naturale R10	9,5	5,56	4	0,720	15,80	30	21,60	474
30x30 Mosaico 3X3 Naturale R10	9,5	11,11	5	0,450	8,73	60	27,00	524
60x120 20MM Naturale R11	20	1,39	1	0,720	33,12	36	25,92	1192